
State of Alaska Department of Fish and Game Nomination for Waters Important to Anadromous Fish

AWC Volume SE SC SW		. (1 6-1	
Anadromous Water Catalo					
Name of Waterway	LOCK CREEK		USGS name	Local	name
Addition Deletion	Correction	_ Backup I	nformation	- Annual Control	
	For C	Office Use			
Nomination #	94 366		egional Supe		10/7/93
Revision Year:	999	Re	gional Supe	rvisor	Date
Revision to: Atlas	Catalog A	1_2			8/26/02
Revision Code:	F-Z		Drafte	d	Date
	OBSERVATI	ON INFORMAT	ION		
Species	Date(s) Observed	Spawning	Rearing	Migration	Anadromous
Dolly VORDEN	8/11/93		\mathcal{X}		X
IMPORTANT: Provide all spawning, rearing or mobserved; sampling met Attach a copy of a map well as any other information habitat; locations, type Comments: Supply Some Supply No. 2000 Man.	igration of anadromous hods, sampling duration showing location of more mation such as: specifies, and heights of an analysis of the sample of	s fish, inclon and area outh and obs fic stream ry barriers;	sampled; conserved upper eaches observed.	er of fish a opies of fie extent of eartent	and life stages ld notes; etc. ach species, as hing or rearing
10/1/10	ignature: Alaska D Habitat I	Pept. of Fish Division	Jean	F	SKA DEPT. OF ISH & GAME OV () 8 1993 REGION IN
This certifies that i evidence that this wa Important for Spawning	n my best professiona terbody shoul Fairbank , Rearing or Migration	s] Aileikar99	701 deleted	from the Cat	alog of Waters 870.
Signature of Area Biol	ogist:		11 dese		Rev . 7/93



MEMORANDUM

State of Alaska

To:

Lance Trasky

Date:

November 1, 1993

Regional Supervisor

Habitat and Restoration Division

File No:

Telephone Number:

451-6192

From

Alvin G. Ott, Regional Supervisor

Subject:

1994 Anadromous

Catalog

Habitat and Restoration Division
Department of Fish and Game

RE: 1994 Anadromous Catalog Nominations

Enclosed are Region III's proposed changes to the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes. Also enclosed are two memos which specifically address nominations made for the Seward Peninsula Area. Should there be any questions, please contact either me or Mr. McLean at 451-6192.

Enclosures

cc:

Lana Shea, ADF&G, Juneau Phil Brna, ADF&G, Anchorage

AGO/ago

MEMORANDUM

State of Alaska Department of Fish and Game

ALASKA DEPT. OF FISH & GAME

Lance Trasky To:

Regional Supervisor

Habitat and Restoration Division

Date:

October 26, 1993

MAY 08 1993

File No:

REGION II

Telephone Number:

451-6192 HABITAT AND RESTORATION

DIVISION

Alvin G. Ott /

Regional Supervisor

Habitat and Restoration Division Department of Fish and Game

Subject:

1994 Anadromous

Catalog **Nominations**

1994 Anadromous Catalog Nominations -- Justification for Designation of RE: Visually Observed Juvenile Arctic Char (Dolly Varden) and Coho Salmon within the Seward Peninsula Area.

The following justification has been prepared for the record and reflects the factual basis and professional judgement exercised in our determination to accept visually documented juvenile Arctic char (Dolly Varden) and coho salmon for submission to and inclusion in the 1994 Update to the Catalog of Waters Important for the Spawning, Rearing, or Migration of Anadromous Fish. While internal measures have been adopted to ensure accurate species identification (and thus maintain the department's credibility), it is important to recognize that AS 16.05.870 provides protection for all anadromous fish species. Species identification is required only to understand life history requirements that warrant permit protection under AS 16.05.870(b), but not necessarily for designation of a waterbody under AS 16.05.870(a)

Background

From:

Anadromous Catalog nominations were submitted for the following streams based on visual observations of juvenile Arctic char (Dolly Varden) and/or coho salmon by Habitat and Restoration and Commercial Fisheries and Development division area biologists:

Stream Name	Species	Approx. #	Date	Observer
Osborn Creek (Nome R.)	Dolly Varden	Unspecified	6/23/91	Lean
North Fork (Kougarok R.)	Dolly Varden		8/12/93	McLean
Neva Creek (Kougarok R.)	Dolly Varden		8/12/93	McLean
Coffee Creek (Kougarok R.)	Dolly Varden	Several 100s	8/12/93	McLean
Goldbottom Ck. (Snake R.)	Dolly Varden	Several dozen	8/04/93	McLean
•	•	3 net seined		
Saunders Creek	Dolly Varden	Several dozen	8/06/93	McLean
Hastings Creek	Dolly Varden	Several 100s	8/06/93	McLean
West Fk. Solomon	Coho Salmon	Several dozen +	8/11/93	McLean
	Dolly Varden	Several dozen +	8/11/93	McLean
Willow Creek	Dolly Varden	Several 100s	8/11/93	McLean
Butte Creek	Dolly Varden	Several dozen +	8/11/93	McLean
Johns Creek		Several dozen +	8/11/93	McLean
Cheyenne Creek	Dolly Varden	Several dozen +	8/11/93	McLean

Background (Continued)

Stream Name	Species	Approx. #	<u>Date</u>	Observer
Jones Creek	Dolly Varden Coho Salmon	Several dozen + One	8/11/93 8/11/93	McLean McLean
Winston Creek		Several dozen +	8/11/93 8/11/93	McLean McLean
Fish Creek	Dolly Varden	Several dozen	8/11/93	McLean
Montana Ck.	Dolly Varden	Several dozen	8/11/93	McLean
Coal Creek	Dolly Varden	Hundreds	8/11/93	McLean
Ruby Creek	Dolly Varden	Several dozen +	8/11/93	McLean
Casadepaga River	Dolly Varden		8/11/93	McLean
Fox Creek		Several dozen	8/11/93	McLean
Unnamed Trib. (Coal Ck.)	Dolly Varden		8/11/93	McLean
Rock Creek		Several dozen	8/11/93	McLean
Victoria Creek		Several 100s	8/11/93	McLean
Offield Creek	Dolly Varden		8/11/93	McLean

Requirements for Visual Identification

- 1. All visual observations were made under full light conditions in slack water (step pools, lateral scour pools, side channel sloughs, etc).
- 2. Species designation was not recorded unless observer could detect and observe sufficent distinguishing characteristics (noted below) to provide positive identification.
- 3. Visual identification accepted only for upper limit extension or inclusion of additional undocumented tributaries within river segments or stream systems previously documented (fish in hand) to contain the identified species. Within the identified waterbodies, only coho salmon and/or Dolly Varden have previously been documented. Chinook salmon, cutthroat, or steelhead have not been documented in these waterbodies.
- 4. Observers routinely electroshock/trap both juvenile coho salmon and Dolly Varden; thereby providing opportunity for constant visual "recalibration" of distinguishing characteristics.

Distinguishing Factors for the Visual Identification of Juvenile Dolly Varden and Coho Salmon in Norton Sound Drainages

Coho Salmon	Size:	Typically 35 to 130 mm in Norton Sound drainages.	
	Parr Marks:	Fairly even spaced; tall, vertical, bar shaped.	
	Anal Fin:	Sharply angled; first ray elongated (generally observable, though not always); black/darkish along leading edge.	
	Dorsal Fin:	Black/dark tinge along leading edge; generally clear elsewhere; rarely spotted.	
	Color:	General dark green/silver coloration on back; silver coloration along sides.	

Dolly Varden Size:

Typically 40 to 170+ mm in Norton Sound drainages (most

less than 130 mm).

Parr Marks:

Irregularly spaced; rounded, oval or rectangular shaped.

Overall impression - parr marks generally much wider than

intervening spaces.

Anal Fin:

Fin triangular shaped - not angled; first ray does not extend beyond base of last ray; general coloration is lightly hued

and frequently streaked with orange pigmentation.

Dorsal Fin:

Generally spotted or dark

Color:

Generally dark; mottled green blotches along dorsal surface. Lateral sides mottled with blotchy parr marks,

occasionally light orange/yellowish pigmentation but rare

on fish under 170 mm.

cc:

Frank Rue, ADF&G-H&R, Juneau Lana Shea, ADF&G-H&R, Douglas Phil Brna, ADF&G-H&R, SPCO Charlie Lean, ADF&G-CF, Nome Fred Andersen, ADF&G-SF, Fairbanks Fred DeCicco, ADF&G-SF, Fairbanks

AGO:BM